

EQUIPMENT FOR TREATMENT OF OILY WATER



# EBU - EMULSION BREAKING UNIT

**Sweden**  
**JOWA AB**  
Tulebovägen 104  
S-428 34 Källered  
Sweden  
Telephone: +46-31 726 54 00  
Telefax: +46-31 795 45 40  
website: [www.jowa.com](http://www.jowa.com)  
e-mail: [info@jowa.se](mailto:info@jowa.se)

**Norway**  
**JOWA NORGE A/S**  
Solbergveien 22  
3057 Solbergelva  
Norway  
Telephone: +47-3223 6700  
Fax: +47-3223 6701  
website: [www.jowa.no](http://www.jowa.no)  
e-mail: [post@jowa.no](mailto:post@jowa.no)

**Germany**  
**JOWA GERMANY GMBH**  
Hansestrasse 21 / Haus 2  
18182 Rostock-Bentwisch  
Germany  
Telephone: +49-381 6302 660  
Fax: +49-381 6302 641  
website: [www.jowa.de](http://www.jowa.de)  
e-mail: [info@jowa.de](mailto:info@jowa.de)

**Netherlands**  
**JOWA HOLLAND**  
Ebweg 61  
2991 LS Barendrecht  
Netherlands  
Telephone: +31(0)180 55 71 33  
Fax: +31(0) 180 61 11 27  
website: [www.jowa-holland.nl](http://www.jowa-holland.nl)  
e-mail: [post@jowa-holland.nl](mailto:post@jowa-holland.nl)

**USA**  
**JOWA USA, INC.**  
59 Porter Road  
Littleton, MA 01460  
USA  
Telephone: +1-978 486 98 00  
Fax: +1-978 486 01 70  
website: [www.jowa-usa.com](http://www.jowa-usa.com)  
e-mail: [info@jowa-usa.com](mailto:info@jowa-usa.com)

**Singapore**  
**JOWA (S) PTE., LTD.**  
93 Lorong N Telok Kurau #05-04  
Singapore 425244  
Singapore  
Telephone: +65-6872 8802  
Fax: +65-6872 8896  
website: [www.jowa.sg](http://www.jowa.sg)  
e-mail: [jowaspdk@singnet.com.sg](mailto:jowaspdk@singnet.com.sg)

**China**  
**JOWA (Shanghai) Marine  
Equipment Co., Ltd.**  
5111 Luo Shan Road,  
Pudong New Area  
Shanghai 201204  
China  
Telephone: +86-21-3390 6889/90/91/92  
Fax: +86-21-3390 7550  
e-mail: [jowasha@jowa.com.cn](mailto:jowasha@jowa.com.cn)

**China**  
**JOWA (Shaoxing) Environm  
Protection Equipment Co., Ltd.**  
3# He Hu Road  
Paojiang Industrial Estate  
Shaoxing 312071  
China  
Telephone: +86 575 88179900  
Fax: +86 575 88158630

**Korea (South)**  
**Jowa Korea Co. Ltd.**  
1650-6, Song Jung Dong  
Gang Seo - Gu  
618-819 Busan  
South Korea  
Telephone: +82-51-831-4911-3  
Fax: +82-51-831-4914  
website: [www.jowakorea.kr](http://www.jowakorea.kr)  
e-mail: [info@jowakorea.kr](mailto:info@jowakorea.kr)

For many decades now, Jowa has been a trusted and reliable supplier of technical environmental protection equipment to the shipping industry. We can offer every conceivable service for installation, supervision, operation, monitoring and control of Jowa's equipment. You can choose between our own personnel or one of our trained representatives all over the world.

THE JOWA GROUP



## SEPARATES UP TO 80% OF THE WATER IN THE EMULSION

JOWA Emulsion Breaking Unit is designed to break apart water in oily water emulsions. The unit separates up to 80% of the water in the emulsion. The treated water is then fed to an MEPC 107(49) approved filter type/bilge water separator. The residue is pumped to the concentrated sludge tank.

### Function

The system is operating automatically, in a step-by-step program (PLC controlled). The working principle is flocculation.

1. When the system starts it firstly makes an oil release in the gravity tank of the 3SEP, then it starts to fill up the settling tank with emulsified water, the emulsion breaking chemical is added, and mixed with the emulsified water and at the same time pH-adjusted. To end the first step, the oil from last batch is discharged to the sludge tank.

2. During settling time the chemicals will break the emulsion, and create 3 different layers. (settling time is adjustable).

3. After the settling, the system will start to discharge. The bottom layer is discharged to the sludge tank and the treated water to the oily water separator. The top layer will remain in the tank, see part 1. All are controlled by a turbidity sensor.

The system can also be operated manually.

All alarms will be shown at the LCD display.

### Parameter

- » Capacity 6 ~32 m<sup>3</sup>/24h
- » Manual- or auto- operation
- » Skid mounted in two sections
- » Incorporates dosage pumps, discharge pump, valves and PLC control system

### Main features

- » Compact design
- » Easy to install
- » PLC based control system
- » Vibration protecting system
- » Unaffected of rough sea
- » Low chemical consumption
- » Easy to operate